



Swedish Herbal Institute References and Clinical Trials

Adaptogens

- Brekhman, I.I., Dardymov, I.V., 1968. New substances of plant origin which increase non-specific resistance. *Ann. Rev. Pharmacol.* 8, 419-430.
- Wagner, H., Norr, H., Winterhoff, H., 1994. Plant adaptogens. *Phytomedicine* 1, 63-76.
- Panossian A., G. Wikman and H.Wagner, Plant adaptogens III. Earlier and more recent aspects and concepts on their mode of actions. *Phytomedicine*, 6 (4), 287-300, 1999
- Panossian A. G. Adaptogens: Tonic herbs for fatigue and stress. *Alternative & Complimentary therapies*. 2003. Vol.9., No.6, pp 327-332..
- Panossian A.G. Adaptogens. A historical Overview and Perspective. *Natural pharmacy*. Vol. 7 No.4, July August 2003, pp.1,19-20.
- Panossian A, Wikman G. Plant adaptogens: historical overview and perspectives. In: 3rd International Symposium on Natural Drugs. Proceedings, Eds. F.Borelli, F. Capasso, N. Milic, A. Russo. Naples, 2-4 October 2003, *Grafidea S.r.l..Milano*. pp. 205-209.
- Panosyan A., Wagner H. Stimulating effects of adaptogens: an overview of clinical trials of adaptogens with particular reference on their efficacy at single dose administration – *Phytotherapy Research*, 2005 19 (10):819-838.
- Panossian A, Wikman G. Effect of adaptogens on the central nervous system *Arquivos Brasileiros de Fitomedicina Científica* • Vol. 2. Nr 2- Maio de 2005, pp.108-130
- Boon-Niermeijer E.K., van den Berg A., Wikman G. , and F. A. C. Wiegant. Phyto-adaptogens protect against environmental stress-induced death of embryos from the fresh water snail *Lymnaea stagnalis*. *Phytomedicine*, Vol. 7(5), pp. 389–399, 2000.
- Wikman G. Eleutherococcus as a model for self-acting drug. 2 nd Int.Congress, 1984.

Kan Jang® Tablets

Clinical trials

- Hancke J., Burgos RA, Cáceres DD, Wikman G: A double-blind study with a new monodrug Kan-Jang: Decrease of symptoms and improvement in the recovery from common colds, *Phytotherapy Research* (1995) 9, 559-562.
- Cáceres DD, Hancke JL. Burgos RA, Wikman G:: Prevention of common colds with *Andrographis paniculata* dried extract. A pilot double blind study. *Phytomedicine* 4 (2), 1997, p. 101-104.



- Cáceres DD, Hancke JL, Burgos RA, Sandberg F, Wikman G: Use of visual analogue scale measurements (VAS) to assess the effectiveness of standardised *Andrographis paniculata* extract SHA-10 in reducing the symptoms of common cold. A randomised double blind placebo study. *Phytomedicine* 6 (4), 1999, p. 217-223.
- Melchior J., Palm S., Wikman S. Controlled clinical study of standardized *Andrographis paniculata* extract (Kan-Jang tablet) in common cold a pilot trial, *Phytomedicine*, 3 (4); 315-318, 1996/97.
- Melchior J., Spasov AA, OstrovskiOV, Bulanov AE, WikmanG.: Double blind placebo controlled pilot and Phase III study of a standardised *Andrographis paniculata* Herba Nees extract fixed combination (Kan jang) in the treatment of uncomplicated upper respiratory tract infection. *Phytomedicine*, vol. 7 (5), 341-350, 2000.
- Gabrielian E.S. Shukurian A.K., Goukasova G.I., Chandranian G.I., Panossian A.G., Wikman G., Wagner H. A double blind, placebo controlled study of *Andrographis paniculata* Fixed combination Kan Jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine*, 9: 589-597, 2002.
- Kulichenko, L.L., Kireyeva, L.V., Malyshkina, E.N., Wikman, G.: A randomized controlled study of Kan Jang versus Amantadine in the treatment of influenza in Volgograd. *Journal of Herbal Pharmacotherapy* 3(1):77-93, 2003.
- Spasov, A.A., Ostrovskij, O.V., Chernikov, M.V., Wikman, G.: Comparative controlled study of *Andrographis paniculata* fixed combination Kan Jang and an Echinacea preparation as adjuvant in the treatment of uncomplicated respiratory disease in children. *Phytotherapy Research* 18: 47-53, 2004.
- Mkrtchyan A, V. Panosyan, A. Panossian, G. Wikman and H. Wagner. Phase I clinical study of *Andrographis paniculata* fixed combination Kan Jang™ versus ginseng and valerian on the reproductive functions of healthy male subjects. *Phytomedicine*, 12, 403-409, 2005.

Kan Jang® Preclinical Efficacy and Safety Studies

- Amroyan E., G Gabrielian E., Panossian A., G. Wikman Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF-induced platelet aggeration, *Phytomedicine* 6(1): 27-31, 1999.
- Panossian A., Kochikian A., Gabrielian E., Muradian R., Stepanian H., Arsenian F., Wagner H.: Effect of *Andrographis paniculata* extract on progesterone in blood plasma of pregnant rats. *Phytomedicine* 6(3): 157-162, 1999
- Panossian A., Oganessian A., Mamikonian G. Ambartsumian E., Gabrielian E., Wagner H., Wikman G. Pharmacokinetic and oral bioavailability of andrographolid (AND) from *Andrographis paniculata* extract (APE) in rats and humans. *Phytomedicine*, 7(5), 351-364, 2000.
- Gabrielian E., G. Mamikonyan, A. Panossian, A. Hovhannisyan, H. Abrahamyan, G. Wikman. Pharmacokinetics and Oral Bioavailability of Andrographolide Kan Jang in Humans, *Medical Science of Armenia* 2001. XLI, N2, pp 9-16.
- Mamikonyan G., Kochikyan A.V., A. Panossian, E. Gabrielian, G. Wikman. Bounding of



andrographolide with blood plasma proteins. *Medical Science of Armenia*, 2001 v. XLI, N 1, pp. 30-34.

Mamikonyan G., A.Panossian, E.Gabrielian, G.Wikman. Developing of the methods of analysis of Andrographolide *Medical Science of Armenia* 2002.- Vol. XLII, N 2.- P. 11-19.

Panossian A., T.Davtyan, N. Gukassyan, G. Gukasova, G.Mamikonyan, E. Gabrielyan, G. Wikman Effect of Andrographolide and Kan Jang - fixed combination of extract SHA-10 and extract SHE-3 - on proliferation of human lymphocytes, production of cytokines and immune activation markers in the whole blood cells culture.

Phytomedicine 90: 598-605, 2002

Hovhannisyan A., Abrahamyan H., Gabrielyan E., Panossian A. The effect of Kan Jang on the pharmacokinetics and pharmacodynamics of warfarin in rats.

Phytomedicine, 13, 318-323, 2006.

Panossian A. , A. Hovhannisyan, G. Mamikonyan, H. Abrahamian, E. Hambardzumyan, E. Gabrielian

“Pharmacokinetic and Oral Bioavailability

of Andrographolide from *Andrographis paniculata* Extract SHA-10 and *Andrographis* Fixed Combination Kan Jang in Rats and Humans” Drug Information Association, 12th Annual EuroMeeting 2000, Nice,France, pp 30.

Panossian A., A. Hovhannisyan, G. Mamikonyan, H. Abrahamian, G. Goukasova, E. Gabrielian, G.Wikman, H.Wagner “Pharmacokinetic of Andrographolide from *Andrographis paniculata* Extract SHA-10 and *Andrographis* Fixed Combination Kan Jang in Rats and Humans” 3th International Congress on Phytomedicine, Supplement II, 2000, Munich, Germany, pp 118.

Gabrielian E., Hovhannisyan A, Abrahamyan H., Panossian A., Wikman G. Effect of Kan Jang tablets and *Echinacea purpurea* extract on pharmacokinetic and pharmacodynamic of Warfarin in rats, Abstracts of World Congress of Pharmacy and Pharmaceutical Sciences , Singapore 1-6 September, 2001. PDM-P-072.

Arctic Root®

Saratikov, A.S., Krasnov, E.A., 2004. *Rhodiola rosea* (Golden root): a valuable medicinal plant. Tomsk University Press, Tomsk, pp. 1-205.

Clinical Trials

Darbinyan V., Kteyan A., Panossian A., Gabrielian E., Wikman G., Wagner H.: *Rhodiola rosea* in stress induced fatigue – a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental perform-

ance of healthy physicians during night duty. *Phytomedicine*, 7(5), 365-371, 2000.

Spasov AA, Wikman GK, Mandrikov VB, Mironova IA, Neumoin VV. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of *Rhodiola rosea* SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. *Phytomedicine* 2000; 7: 85-89.

Shevtsov, V.A., Zholus, B.I., Shervarly, V.I.,

Vo1'skij, V.B., Korovin, Y.P., Khristich, M.P., Roslyakova, N.A., Wikman, G., 2003. A randomised trial of two different doses of a SHR-5 Rhodiola rosea extract versus placebo and control of capacity for mental work. *Phytomedicine* 10, 95-105.

Aksenova, R.A., Zotova, M.I., Nekhoda, M.F., Cherdintsev, S.G., 1968. Comparative characteristics of the stimulating and adaptogenic effects of Rhodiola rosea preparations. In: Stimulants of the Central Nervous System (A. S. Saratikov, ed.) Vol. 2. Tomsk University Press, Tomsk, pp. 3-12.

Panossian A., V. Darbinyan , A. Kteyan, G. E. Gabrielian , G. Wikman Rhodiola rosea L. in stress induced fatigue – a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty. Drug Information Association, 36th Annual Meeting , June 11-15, 2000 Convention Center, San Diego, CA, USA

Adapt 232[®]

Bogatova, R.I., Shlyakova, L.V., Salnitsky, V.P., Wikman, G., 1997. Evaluation of the effect of single take of a phytoadaptogen on human subject work ability during long isolation. *Aerospace Environ. Med.* 31(4), 51-54.

Bogatova, R.I., Malozemov, V.V., 1994. Experimental research on estimation of influence of single dose of phytoadaptogens on short memory. The report on ADAPT 232. Institute of Medical and Biological Problems (IMBP), Moscow, pp.1-151.

Narimanian M., – Badalyan, V. Panosyan, E. Gabrielyan, A.Panossian, G.Wikman, and H.Wagner Impact of Chisan[®] (ADAPT-232) on the quality-of-life and its efficacy as an adjuvant in the treatment of acute non-specific pneumonia. *Phytomedicine*, Vol 12 (10) pp 723-72, 2005.

Panosyan A., .Wagner H. Stimulating effects of adaptogens: an overview of clinical trials of adaptogens with particular reference on their efficacy at single dose administration – *Phytotherapy Research*, 2005 19 (10):819-838.

Distributed by



Brand Builders • Science-Based Natural Products Distribution

500 Foothills South, Ste 2, Sedona, AZ 86336
(877) 282-5366 • 928.282.5366 Ph • 928.203.0077 Fax
www.proactivebio.com